सत्यमेव जयते
Goverment Of India

भारत सरकार
Government of India
जल शक्ति मंत्रालय
Ministry of Jal Shakti
जल संसाधन, नदी विकास और गंगा संरक्षण विभाग
Department of Water Resources
River Development and Ganga Rejuvenation
केंद्रीय भूमि जल बोर्ड
Central Ground Water Board

भूजल स्तर बुलेटिन, उत्तराखंड राज्य

अगस्त 2025

Groundwater Level Bulletin, Uttarakhand State

August 2025



1.0 INTRODUCTION

Groundwater bulletin is prepared by CGWB depicting changes in groundwater regime of the country through different seasons. It is an effort to obtain information on groundwater levels through representative monitoring wells. The important attributes of groundwater regime monitoring are groundwater level.

The natural conditions affecting the groundwater regime involve climatic parameters like rainfall, evapotranspiration etc., whereas anthropogenic influences include pumping from the aquifer, recharge due to irrigation systems and other practices like waste disposal etc.

Groundwater levels are being measured by Central Ground Water Board four times a year during January, March/April/August, August and November. A network of 364 observation wells called **National Hydrograph Network Stations (NHNS)**, as on 30.08.2025, located all over the state is being monitored.

2.0 STUDY AREA

Uttarakhand State has a very diverse hydrogeological set-up. However, this hilly state can broadly be classified into two hydrogeological regimes namely Gangetic Alluvial Plain and Himalayan Mountain Belt. As per 2024 Groundwater resource assessment, Total Annual Ground Water Recharge of the State has been assessed as 2.14 bcm and Annual Extractable Ground Water Resource is 1.964 bcm. The Total Current Annual Ground Water extraction is 1.05 bcm and Stage of Ground Water extraction is 53.54 %.



Fig.1: Map showing disposition of principal aquifers of Uttarakhand State

The hydrogeology of Uttarakhand is related to geology and physiography. Variable hydrogeological conditions exist in the state due to a wide variation in the geology and land forms. The regional hydrogeological setup can be described on the basis of

five hydrogeological units from north to south. (i) Himalayan Region, (ii) Sub-Himalayan Region, (iii) Bhabhar Zone, (iv) Tarai Zone and (v) Central Ganga Plain. The Disposition of Principle Aquifer system of Uttarakhand State is given in the Fig. (1).

3.0 GROUND WATER LEVEL MONITORING

Central Ground Water Board, Uttaranchal Region, is monitoring changes in groundwater regime in Uttarakhand state on quarterly basis continuously.This is facilitated by a network of monitoring stations in the State located in diverse hydrogeological and geomorphic units. The number of operational wells till August 2025 was 364 which include 40 dug wells, 195 Handpumps, 113 Springs, 4 deep aquifer tube wells and 12 piezometers.

Table 1: district-wise number of monitoring stations

District	Number of Stations				
	DW	PZ	HP	Spring	TW
Dehradun	16	3	35	4	2
Haridwar	13	1	29	0	1
US Nagar	7	8	39	0	0
Pauri Garhwal	0	0	13	7	0
Tehri Garhwal	0	0	12	8	0
Nainital	3	0	14	7	1
Almora	0	0	12	27	0
Pithoragarh	0	0	7	13	0
Bageshwar	0	0	5	10	0
Chamoli	0	0	8	16	0
Rudraprayag	0	0	2	8	0
Champawat	1	0	9	6	0
Uttarkashi	0	0	10	7	0



Fig.2: NHS monitoring stations of Uttarakhand State, as on August, 2025

4.0 RAINFALL

The normal annual rainfall varies from 1182 mm in Haridwar district to 1927.30 mm in Pithoragarh district. The average annual rainfall varies from 1067.70 mm at Joshimath (Chamoli district) to 1927.30 mm at Munsyari (Pithoragarh district). Most of the rainfall occurs as monsoon rainfall during the months of July and August. The Isohyetal Map of Uttarakhand prepared using mean normal rainfall is given in **Fig. 3**. The map reveals that intensity of rainfall increases from SW to NW in a broadly linear pattern with high rainfall prevailing in both the eastern and the western parts of the state.



Fig.3: Mean Isohyetal Map of Uttarakhand State



Fig.4: District-wise Actual Rainfall (mm) (Source: IMD)

5.0 GROUND WATER LEVEL SCENARIO

5.1 UNCONFINED AQUIFER

5.1.1 Depth to Water level (August 2025)

The depth to water level of wells is used for the analysis. Analysis of depth to water level data of 230 wells shows water levels vary between -0.15 m bgl (Bhopalpani, Badawali, Dehradun District) to 94.50 m bgl (Trilokpur, Pauri Garhwal district). Water level of less than 5 m bgl is recorded in 32.61 % (75 no.) of wells, between 5 to 10 m bgl in 23.91% (55 no.) of wells,between 10 to 15 m bgl in 10.87 % (25 no.) of wells, between 15 to 30 m bgl in 16.96 % of wells, between 30-50 m bgl in 09.13 % (39 no.)of wells and water level more than 50 mbgl is registered in 6.52 % (15 no.) of wells.



Fig.5: Depth to Water level Map (August 2025), Uttarakhand State



Fig.6: Percentage of wells in different water level range

5.1.2 Annual Fluctuation in Water Level

Annual Fluctuation of Water Level (August 2023 to August 2025)



Fig. 7: Fluctuation in water level (August 2023 Vs Augut 2025)

Rise in Water level:

Out of 163 wells, 48 wells (29.45% of total wells) are showing rise in water level in August 2025 when compared with August 2023 water level data. Out of 48 wells, 33 (68.75 %) wells showing rise in the range of 0-2 m, 4 (8.33 %) wells showing rise in the range of 2-4 m while, only 11 wells (22.92%) showing rise greater than 4 m.



Fig. 8: Percentage of wells showing different fluctuation range August 2023 to August 2025

Fall in Water level:

Out of 163 wells, 115 wells (70.55% of total wells) are showing fall in water level in August 2025 when compared with August 2023 water level data. Out of 115 wells, 70 (60.87 %) wells showing fall in the range of 0-2 m, 27 (23.48%) wells showing fall in the range of 2-4 m while and 18 wells (15.65%) showing fall greater than 4 m.

5.1.3 Annual Fluctuation of Water Level (August 2024 to August 2025)



Fig. 9: Fluctuation in water level (August 2024 Vs August 2025)

Rise in Water level:

Out of 220 wells, 165 wells (75% of total wells) are showing rise in water level in August 2025 when compared with August 2024 water level data. Out of 165 wells, 124 (75.15 %) wells showing rise in the range of 0-2 m, 21 (12.73 %) wells showing rise in the range of 2-4 m while, only 20 wells (12.12%) showing rise greater than 4 m.



Fig. 10: Percentage of wells showing different fluctuation range August 2024 to August 2025

Fall in Water level:

Out of 220 wells, 55 wells (25% of total wells) are showing fall in water level in August 2025 when compared with August 2024 water level data. Out of 55 wells, 44 (80 %) wells showing fall in the range of 0-2 m, 6 (10.91%) wells showing fall in the range of 2-4 m while, only 05 wells (9.09%) of showing fall greater than 4 m.

5.1.4 Decadal Fluctuation in Water level (August 2015 to August 2024 Vs August 2025)



Fig. 11: Decadal Fluctuation in water level (August 2015 to August 2024 Vs August 2025)

Rise in Water level:

Out of 150 wells, 84 wells (56% of total wells) are showing rise in water level in August 2025 when compared with last 10 years (2015-2024) August water level data. Out of 84 wells, 60 (71.43 %) wells showing rise in the range of 0-2 m, 13 (15.48 %) wells showing rise in the range of 2-4 m while, only 11 wells (13.10%) showing rise greater than 4 m.



Fig. 12: Percentage of wells showing different decadal fluctuation range

Fall in Water level:

Out of 150 wells, 66 wells (44% of total wells) are showing fall in water level in August 2025 when compared with last last 10 years (2015-2024) August water level data. Out of 66 wells, 45 (68.18 %) wells showing fall in the range of 0-2 m, 10 (15.15 %) wells showing fall in the range of 2-4 m, while 11 wells (16.67%) showing fall greater than 4 m.

5.2 Measurement of Spring discharge in the Hilly Regions



Fig.13: Percentage of Spring with discharge (in lpm) in specified range, Uttarakhand State, August-2025,

Total 98 numbers of Springs were measured for their discharge (in lpm) in Uttarakhand State in the month of August 2025. Out of 98 numbers of measured springs, 7.14% (7 numbers out of 98) were showing discharge in the range of 0-5 lpm, 17.35% (17 springs) were showing discharge in the range of 5-10 lpm, 17.35% (17 springs) were showing discharges in the range of 10-20 lpm, 20.41% (20 springs) were showing discharge in the range of 20-40 lpm and 37 springs out of 98 (i.e. 37.76% of the total) were showing discharge more than 40 lpm. Minimum discharge of 1.22 lpm was observed in the Ghat Spring of Champawat district while Maximum discharge of 496.89 lpm was observed in the Sipahi Dhara spring of Nainital district during the August 2025.



Fig.14: Number of Spring with discharge (in lpm) in specified range, Uttarakhand State, August-2025

41.67% of the springs were showing decline in discharge during August 2025 when compared with August 2024. Minimum decline in discharge is 0.08 lpm and maximum decline in discharge is observed as 283.11 lpm. 58.33% of the total springs were showing rise in the discharge during August 2025 when compared with August 2024. Minimum increase in the discharge is observed as 0.02 lpm and maximum discharge is observed as 260.00 lpm.

6. SUMMARY

As a component of the National Ground Water Monitoring Programme, the CGWB, UR, Dehradun conducts monitoring of the ground water conditions on a quarterly basis: in January, pre-monsoon August, monsoon August, and post-monsoon November. Additionally, a yearly assessment of ground water quality is performed in August. As of August 31, 2025, the Uttaranchal Region of the Central Ground Water Board supervises 40 dug wells, 195 Handpumps, 113 Springs, 4 deep aquifer tube wells and 12 piezometers. This comprehensive effort aims to portray the variations in the state's ground water conditions across different aquifers.

In August 2025, analysis of depth to water level data of 224 wells shows water levels vary between -0.15 m bgl (Bhopalpani, Badawali, Dehradun District) to 94.50 m bgl (Trilokpur, Pauri Garhwal district). Water level of less than 5 m bgl is recorded in 32.61 % of wells, between 5 to 10 m bgl in 23.91% of wells, between 10 to 15 m bgl in 10.87 % of wells, between 15 to 30 m bgl in 16.96 % of wells, between 30-50 m bgl in 09.13 % of wells and water level more than 50 mbgl is registered in 6.52 % of wells.

Out of 163 wells, 48 wells (29.45% of total wells) are showing rise in water level in August 2025 when compared with August 2023 water level data. Out of 48 wells, 33 (68.75 %) wells showing rise in the range of 0-2 m, 4 (8.33 %) wells showing rise in the range of 2-4 m while, only 11 wells (22.92%) showing rise greater than 4 m.

Out of 163 wells, 115 wells (70.55% of total wells) are showing fall in water level in August 2025 when compared with August 2023 water level data. Out of 115 wells, 70 (60.87 %) wells showing fall in the range of 0-2 m, 27 (23.48%) wells showing fall in the range of 2-4 m while and 18 wells (15.65%) showing fall greater than 4 m.

Out of 220 wells, 165 wells (75% of total wells) are showing rise in water level in August 2025 when compared with August 2024 water level data. Out of 165 wells, 124 (75.15 %) wells showing rise in the range of 0-2 m, 21 (12.73 %) wells showing rise in the range of 2-4 m while, only 20 wells (12.12%) showing rise greater than 4 m.

Out of 220 wells, 55 wells (25% of total wells) are showing fall in water level in August 2025 when compared with August 2024 water level data. Out of 55 wells, 44 (80 %) wells showing fall in the range of 0-2 m, 6 (10.91%) wells showing fall in the range of 2-4 m while, only 05 wells (9.09%) of showing fall greater than 4 m.

Out of 150 wells, 84 wells (56% of total wells) are showing rise in water level in August 2025 when compared with last 10 years (2015-2024) August water level data. Out of 84 wells, 60 (71.43 %) wells showing rise in the range of 0-2 m, 13 (15.48 %) wells showing rise in the range of 2-4 m while, only 11 wells (13.10%) showing rise greater than 4 m.

Out of 150 wells, 66 wells (44% of total wells) are showing fall in water level in August 2025 when compared with last last 10 years (2015-2024) August water level data. Out of 66 wells, 45 (68.18 %) wells showing fall in the range of 0-2 m, 10 (15.15 %) wells showing fall in the range of 2-4 m, while 11 wells (16.67%) showing fall greater than 4 m.

7. RECOMMENDATIONS

The areas where depth to water level is more than 10 m during the post-monsoon season and showing decadal decline in the water level, interventions for the artificial recharge and water conservation should be taken up. In the hilly areas where the spring discharge is low and declining, spring rejuvenation and spring shed management should be taken up as the springs are the lifeline for the Himalayan regions.